



Docket No.: 44319-051

L. Par 1/6  
10-25-02  
#11/Response  
PATENT Audit B  
NE  
(IMO.EXT.)

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of : **RESPONSE UNDER 37 CFR 1.116**  
Akio YAMANISHI : **EXPEDITED PROCEDURE**  
Serial No.: 09/536,762 : Group Art Unit: 3736  
Filed: March 28, 2000 : Examiner: Kremer, M.  
For: TRANSCUTANEOUS BILIRUBIN CONCENTRATION MEASURING APPARATUS  
AND A MEASUREMENT DATA CHECKING PLATE FOR USE WITH THE SAME

**RESPONSE UNDER 37 CFR 1.116**

Box AF  
Commissioner for Patents  
Washington, DC 20231

RECEIVED  
OCT 24 2002  
TECHNOLOGY CENTER R3700

Sir:

The following remarks are submitted in response to the Official Action mailed June 19, 2002. Claims 1-12 are now active in this application.

The indication that claim 3 is allowable, and that claim 11 is objected to, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims, is acknowledged and appreciated.

**REJECTION OF CLAIMS UNDER 35 U.S.C. § 102 AND § 103**

Claims 1, 2 and 12 are rejected under 35 U.S.C. § 102(e) as being anticipated by Robinson.

Claims 4-9 are rejected under 35 U.S.C. § 103(a) as being unpatentable over Robinson.